List of Cold Hardy Prairie Trees

Compiled by Rick Durand, February 23, 2024

Dear Tree Lover,

One of the most common comments I hear on the Prairies is, "I wish there was a wider variety of trees to plant in our urban forests." That spurred me on to create a list of trees that are currently grown by the major wholesale tree nurseries supplying trees to the prairie market.

Wholesale nursery catalogues sourced in developing this list: Advance, Apple Creek, Aubin, Bailey, Blue Grass, Bron and Sons, Bylands, Cheyenne, Eagle Lake, Foothills, JC Bakker, Jeffries, Lakeshore, Shannon Oaks and Sunstar.

I also utilized the Western Nursery Growers Group website www.prairietrees.ca

Use this list as a guideline only: The commercial nurseries base their decision to grow these trees on past experience, tree trial results, recommendations from other growers and comments from the general public.

Number of trees listed: There are 251 trees listed, but not all of those trees will be suitable for your area, depending on your plant hardiness zone, the overall performance of the tree in your area and the tree's resistance to insects and diseases.

Plant hardiness zones: Determine which plant hardiness zone you reside in by referring to the chart on pages 18-19. Find the community you live in or live close to, and the plant hardiness zone number will be beside the community's name.

Western Nursery Growers Group (WNGG) website www.prairietrees.ca

Performance of trees – This website is where you can check the performance of the trees that were tested at sites located in Manitoba at Portage la Prairie, in Saskatchewan at Indian Head and Saskatoon, and in Alberta at Strathmore, Red Deer, Edmonton, and St. Albert. Not all of the trees on my list have been tested since the WNGG tree trials are ongoing. The next WNGG tree trial results will be released in 2026 for the trial years between 2020 to 2025. **Tree diseases** – The WNGG website also lists some insects, diseases and environmental conditions that affect prairie trees. Keep in mind that a tree may be cold hardy, but susceptible to a disease that limits its growth. For example, Shubert chokecherry is cold-hardy but not recommended in areas where black knot disease is pervasive.

Legend: A description of each of the columns is on page 17.

Permission to reproduce and share this document: In this way, this knowledge can be passed on to improve choices of what tree(s) to plant in a geographical location in the prairies. The print page format of this document is landscape and legal $(8\frac{1}{2} \times 14 \text{ in})$.

Tree credits: A listing of breeder/developer is on page 20 and tree shapes on page 21.

Image credits: iStock: pg. 1 (Calgary) & 16 (Saskatoon); R. Durand: pg. 19 (Portage, MB).

Contact me: If you have comments and/or suggestions, at rickdurand@telus.net



| Scientific name in italics | Height | Width | Zone | Tree Form | Fall | Majority of | Native to | Male | Drought | | Planting . | Location | | Breeder/ |
|---|-----------------|-----------------|------|-----------|-------------|-------------|--------------|-------------------|-----------|-----------|----------------|----------------|-------------------|--------------------------|
| Common name (Cultivar name is in bold letters) | metre (feet) | metre (feet) | | | Colour | Pollination | the Prairies | Female Flowers | Tolerance | Boulevard | Small Space | Large Space | Collector Tree | Developer See page 20 |
| Abies – FIR | | | | | | | | | | | | | | |
| Abies balsamea | 15 | 6 | 3 | Pyramidal | Green | Wind | Native | Both | Low | | | Yes | | Seedling |
| Balsam fir | (50) | (20) | | | | | | | | | | | | |
| Abies lasiocarpa | 20 | 6 | 3 | Pyramidal | Green | Wind | Western | Both | Low | | | Yes | | Seedling |
| Sub-alpine fir | (65) | (20) | | | | | Alberta | | | | | | | |
| Abies siberica | 20 | 8 | 3 | Cone | Green | Wind | | Both | Low | | | Yes | | Seedling |
| Siberian fir | (65) | (26) | | shaped | | | | | | | | | | |
| Acer – MAPLE | | | | | | | | | | | | | | |
| Acer ginnala | 6 | 5 | 2 | Upright | Orange- | Wind | | Both | Medium | | Yes | Yes | | Seedling |
| Amur maple | (20) | (16) | | spreading | red | | | | | | | | | |
| Acer ginnala 'Flame' | 6 | 5 | 4 | Upright | Red | Wind | | Both | Medium | | Yes | Yes | Yes | Seedling |
| Flame Amur maple | (20) | (16) | | spreading | | | | | | | | | | |
| Acer ginnala 'JefUM' | 6 | 5 | 3 | Rounded | Burgundy- | Wind | | Both | Medium | | Yes | Yes | | BRUofM |
| Royal Crown Amur maple | (20) | (16) | | | red | | | | | | | | | |
| Acer ginnala 'Ruby Slippers' | 6 | 5 | 3 | Rounded | Red | Wind | | Both | Medium | | Yes | Yes | | Nursery |
| Ruby Slippers Amur maple | (20) | (16) | | | | | | | | | | | | selection |
| Acer negundo 'Baron' | 15 | 10 | 3 | Rounded | Yellow | Wind | Native | Male | High | Yes | | Yes | | WRMRS |
| Baron Manitoba maple | (50) | (33) | | | | | | | | | | | | |
| Acer negundo 'ByPSN705' | 15 | 10 | 3 | Rounded | Yellow with | Wind | Native | Male | High | Yes | | Yes | | RDBY |
| Trailblazer Manitoba maple | (50) | (33) | | | red blaze | | | | | | | | | |
| Acer negundo 'Hulksun' | 15 | 10 | 2 | Rounded | Yellow | Wind | Native | Male | High | Yes | | Yes | | SUNJA |
| Hulk Manitoba maple | (50) | (33) | | | | | | | | | | | | |
| Acer negundo 'Sensation' | 15 | 10 | 4 | Rounded | Red | Wind | Native | Male | High | | | Yes | Yes | WC |
| Sensation Manitoba maple | (50) | (33) | | | | | | | | | | | | |
| Acer platanoides 'Deborah' | 15 | 10 | 4 | Oval | Yellow | Wind | | Both | Medium | | | Yes | Yes | CN |
| Deborah Norway maple | (50) | (33) | | wide | | | | | | | | | | |
| Acer platanoides 'Prairie Splendor' | 15 | 10 | 4 | Oval | Yellow | Wind | | Both | Medium | | | Yes | Yes | DKU |
| Prairie Splendor Norway maple | (50) | (33) | | dense | | | | | | | | | | |
| Acer platanoides 'Columnare' | 10 | 3 | 4 | Columnar | Yellow | Wind | | Both | Medium | | | Yes | Yes | European |
| Columnar Norway maple | (33) | (10) | | wide | | | | | | | | | | |
| Acer platanoides 'Crimson King' | 10 | 6 | 4 | Oval | Yellow | Wind | | Both | Medium | | | Yes | Yes | European |
| Crimson King Norway maple | (33) | (20) | | wide | | | | | | | | | | (Belgium) |
| Acer platanoides 'Crimson Sentry' | 10 | 6 | 4 | Oval | Yellow | Wind | | Both | Medium | | | Yes | Yes | MSN |
| Crimson Sentry Norway maple | (33) | (20) | | wide | | | | | | | | | | |
| Acer rubrum 'Autumn Spire' | 10 | 6 | 3 | Oval | Red | Wind | NW | Male | Medium | | Yes | | | HPUofMN |
| Autumn Spire red maple | (33) | (20) | | wide | | | Ontario | | | | | | | |

| Scientific name in italics | Height | Width | Zone | Tree Form | Fall | Majority of | Native to | Male\ | Drought | 1 | Planting | Location | | Breeder/ |
|--|--------|-----------------|------|------------|----------|-------------|--------------|-------------------|-----------|-----------|----------|----------|-----------|-------------|
| Common name (Cultivar name is in bold letters) | metre | metre (feet) | | | Colour | Pollination | the Prairies | Female Flowers | Tolerance | Boulevard | Small | Large | Collector | Developer |
| (Cultivar name is in bold letters) | (feet) | (Jeei) | | | | | | riowers | | | Space | Space | Tree | See page 20 |
| Acer rubrum 'Jefrouge' | 10 | 6 | 3 | Oval | Red | Wind | NW | Male | Medium | | Yes | | | WRJN |
| Prairie Rouge red maple | (33) | (20) | | wide | | | Ontario | | | | | | | |
| Acer rubrum 'Northwood' | 10 | 6 | 3 | Rounded to | Red | Wind | NW | Male | Medium | | Yes | | | UMNA |
| Northwood red maple | (33) | (20) | | oval | | | Ontario | | | | | | | |
| Acer saccharinum | 15 | 12 | 3 | Upright | Yellow | Wind | NW | Male or | Medium | | | Yes | | Seedling |
| Silver maple | (50) | (38) | | spreading | | | Ontario | Female | | | | | | |
| Acer saccharinum 'Silver Cloud' | 20 | 12 | 3 | Oval | Yellow | Wind | NW | Male | Medium | Yes | | Yes | | RDPS |
| Silver Cloud silver maple | (65) | (40) | | wide | | | Ontario | | | | | | | |
| Acer saccharum 'Bailsta' | 12 | 9 | 4 | Upright | Orange- | Wind | | Both | Low | Yes | | Yes | Yes | BN |
| Fall Fiesta sugar maple | (38) | (30) | | rounded | red | | | | | | | | | |
| Acer saccharum 'Jefcan' | 12 | 9 | 3 | Upright | Orange- | Wind | NW | Both | Low | | | Yes | Yes | WRRD |
| Unity sugar maple | (38) | (30) | | rounded | red | | Ontario | | | | | | | |
| Acer saccharum 'Jeferno' | 12 | 9 | 3 | Upright | Orange- | Wind | NW | Both | Low | Yes | | Yes | Yes | WRRD |
| Inferno sugar maple | (38) | (30) | | rounded | red | | Ontario | | | | | | | |
| Acer saccharum 'Jefselk' | 12 | 9 | 3 | Upright | Orange- | Wind | NW | Both | Low | | | Yes | Yes | Seedling |
| Lord Selkirk sugar maple | (38) | (30) | | rounded | red | | Ontario | | | | | | | |
| Acer tatarian 'Gar Ann' | 7 | 6 | 2 | Upright | Golden | Wind | | Both | Medium | | Yes | Yes | | FCWN |
| Hot Wings tatarian maple | (23) | (20) | | spreading | yellow | | | | | | | | | |
| Acer tatarian 'JFS-KW2' | 7 | 6 | 3 | Upright | Orange - | Wind | | Both | Medium | | Yes | Yes | | KWJFS |
| Rugged Charm tatarian maple | (23) | (20) | | spreading | red | | | | | | | | | |
| Acer x freemanii 'DurPSN 204' | 10 | 6 | 3 | Oval | Red | Wind | NW | Male | Medium | | Yes | Yes | | RDBY |
| Raging Bull freeman maple | (33) | (20) | | wide | | | Ontario | | | | | | | |
| Acer x freemanii 'Jefcel' | 10 | 6 | 3 | Oval | Red | Wind | NW | Male | Medium | | Yes | Yes | | RDWR |
| Regal Celebration freeman maple | (33) | (20) | | wide | | | Ontario | | | | | | | |
| Acer x freemanii 'Jeffersred' | 15 | 12 | 4 | Oval | Red | Wind | | Male | Medium | | | Yes | Yes | GJ |
| Autumn Blaze freeman maple | (50) | (38) | | wide | | | | | | | | | | |
| Acer x freemanii 'Sienna Glen' | 15 | 12 | 4 | Oval | Yellow- | Wind | | Male | Medium | | | Yes | Yes | DH |
| Sienna Glen freeman maple | (50) | (38) | | wide | orange | | | | | | | | | |
| Aesculus – BUCKEYE | | | | | | | | | | | | | | |
| Aesculus glabra | 12 | 8 | 2 | Rounded | Orange- | Insects | | Both | Medium | | | Yes | | Seedling |
| Ohio buckeye | (38) | (26) | | open | red | | | | | | | | | 8 |
| Aesculus x 'Autumn Splendor' | 11 | 8 | 3 | Rounded | Orange- | Insects | | Both | Medium | | | Yes | | UMNA |
| Autumn Splendor buckeye | (36) | (26) | | open | red | | | | | | | | | |
| Aesculus x 'Bergeson' | 11 | 8 | 3 | Rounded | Orange- | Insects | | Both | Medium | | | Yes | | DHNDSU |
| Prairie Torch buckeye | (36) | (26) | | open | red | | | | | | | | | |
| Alnus – ALDER | 1 () | / | | | | | | | | | | | ı | · |
| Alnus hirsuta 'Harbin' | 10 | 6 | 3 | Upright | Green- | Wind | | Both | High | Yes | | Yes | | DHNDSU |
| Prairie Horizon Manchurian alder | (33) | (20) | | pyramidal | brown | === == | | | -8 | | | | | |

| Scientific name in italics | Height | Width | Zone | Tree Form | Fall | Majority of | Native to | $Male \setminus$ | Drought | i | Planting | Location | | Breeder/ |
|------------------------------------|--------|--------|------|-----------|------------|-------------|--------------|------------------|-----------|-----------|----------|----------|-----------|-------------|
| Common name | metre | metre | | | Colour | Pollination | the Prairies | Female | Tolerance | Boulevard | Small | Large | Collector | Developer |
| (Cultivar name is in bold letters) | (feet) | (feet) | | | | | | Flowers | | | Space | Space | Tree | See page 20 |
| | | | | | | | | | | | | | | |
| Betula – BIRCH | | | | | | | | | | | | | | |
| Betula nigra 'Dickinson' | 12 | 9 | 3 | Oval | Golden | Wind | | Both | Low | | | | Yes | DHNDSU |
| Northern Tribute river birch | (38) | (30) | | wide | yellow | | | | | | | | | |
| Betula papyrifera | 12 | 9 | 2 | Rounded | Yellow | Wind | Native | Both | Low | | | Yes | | Seedling |
| Paper birch | (38) | (30) | | loose | | | | | | | | | | |
| Betula papyrifera 'Varen' | 12 | 9 | 2 | Oval | Yellow | Wind | Native | Both | Low | | | Yes | | DHNDSU |
| Prairie Dream birch | (38) | (30) | | wide | | | | | | | | | | |
| Betula papyrifera x 'Chickadee' | 10 | 7 | 2 | Pyramidal | Yellow | Wind | Native | Both | Low | | | Yes | | JW |
| Chickadee birch | (33) | (23) | | | | | | | | | | | | |
| Betula pendula 'laciniata' | 12 | 12 | 3 | Weeping | Yellow | Wind | | Both | Low | | | Yes | | Europe |
| Cutleaf Weeping birch | (38) | (38) | | | | | | | | | | | | |
| Betula pendula 'Yougii' | 5 | 4 | 3 | Weeping | Yellow | Wind | | Both | Low | | Yes | | | Europe |
| Young's Weeping birch | (16) | (13) | | | | | | | | | | | | |
| Betula platyphylla 'Fargo' | 10 | 3 | 3 | Columnar | Yellow | Wind | | Both | Low | | Yes | Yes | | DHNDSU |
| Dakota Pinnacle birch | (33) | (10) | | | | | | | | | | | | |
| Betula platyphylla 'Jefpark' | 10 | 2.5 | 3 | Columnar | Yellow | Wind | | Both | Low | | Yes | Yes | | DB |
| Parkland Pillar birch | (33) | (8) | _ | | | | | | _ | | | | | |
| Betula tianshanica 'Emerdak' | 9 | 3.6 | 4 | Pyramidal | Yellow | Wind | | Both | Low | | Yes | Yes | Yes | TWNDSU |
| Emerald Flare Tianshan birch | (30) | (12) | | | | | | | _ | | | | | |
| Betula x 'Crimson Frost' | 10 | 6 | 4 | Narrow | Purple | Wind | | Both | Low | | Yes | Yes | Yes | Nursery |
| Crimson Frost hybrid birch | (33) | (20) | | pyramidal | ~ . | **** | | | | | | | | selection |
| Betula x 'Penci-2' | 10 | 6 | 4 | Narrow | Purple | Wind | | Both | Low | | Yes | Yes | Yes | EGN |
| Royal Frost hybrid birch | (33) | (20) | - | pyramidal | D 1 | **** 1 | | D 1 | * | | * 7 | ** | | DI |
| Betula x 'ByDaveK' | 10 | 6 | 3 | Narrow | Red | Wind | | Both | Low | | Yes | Yes | | DK |
| Purple Treasure hybrid birch | (33) | (20) | | pyramidal | | | | | | | | | | |
| Caragana – CARAGANA | | 1 | | | | | | | <u> </u> | | | 1 | | T |
| Caragana arborescens 'Jefarb' | 5 | 2.5 | 2 | Oval | Yellow | Insects | | Both but | High | | Yes | Yes | | GMND |
| Green Spires hybrid caragana | (16) | (8) | | wide | | | | sterile | | | | | | |
| Caragana arborescens 'Sutherland' | 5 | 2 | 2 | Columnar | Yellow | Insects | | Both but | High | | Yes | Yes | | LKSFNS |
| Sutherland caragana | (16) | (7) | | open | | | | sterile | | | | | | |
| Catalpa – CATALPA | | | | | | | | | | | | | | |
| Catalpa speciosa | 10 | 6 | 4 | Oval | Yellow- | Insects | | Both | Medium | | | Yes | Yes | Seedling |
| northern catalpa | (33) | (20) | | wide | brown | | | | | | | | | |
| Celtis – HACKBERRY | | | | | | | | | | | | | | |
| Celtis occidentalis | 12 | 9 | 3 | Oval | Yellow | Wind | | Both | Medium | Yes | | Yes | | Seedling |
| hackberry | (40) | (30) | | wide | | | | | | | | | | |

| Scientific name in italics | Height | Width | Zone | Tree Form | Fall | Majority of | Native to | $Male \setminus$ | Drought | 1 | Planting | Location | | Breeder/ |
|---|--------|--------|------|-----------|---------|-------------|--------------|------------------|-----------|--------------|----------|------------|-----------|-------------|
| Common name | metre | metre | | | Colour | Pollination | the Prairies | Female | Tolerance | Boulevard | Small | Large | Collector | Developer |
| (Cultivar name is in bold letters) | (feet) | (feet) | | | | | | Flowers | | 201110701101 | Space | Space | Tree | See page 20 |
| Crataegus – HAWTHORN | _ | | - | | | | • | | | | | | | |
| Crataegus x mordensis 'Snowbird' | 6 | 5 | 3 | Upright | Yellow- | Insects | | Both | High | | Yes | Yes | | MRS |
| Snowbird hawthorn | (20) | (16) | | spreading | brown | | | | | | | | | |
| Crataegus x mordensis 'Toba' | 6 | 5 | 3 | Upright | Yellow- | Insects | | Both | High | | Yes | Yes | | MRS |
| Toba hawthorn | (20) | (16) | | spreading | brown | | | | | | | | | |
| Elaeagnus – OLIVE | | | | | | | | | | | | | | |
| Elaeagnus angustifolia | 10 | 6 | 3 | Rounded | Silver | Insects | | Both | High | | | Yes | | Seedling |
| Russian olive | (33) | (20) | | loose | | | | | | | | | | |
| Fraxinus – ASH | | | | | | | | | | | | | | |
| Fraxinus americana 'BYPSN611' | 12 | 9 | 3 | Oval | Purple | Wind | | Male | High | | | Yes | Yes | RDBY |
| Shiraz white ash | (38) | (30) | | wide | | | | | | | | | | |
| Fraxinus americana 'DurGar' | 12 | 9 | 3b | Oval | Purple | Wind | | Male | High | | | Yes | Yes | RDPS |
| Tuxedo white ash | (38) | (30) | | wide | | | | | | | | | | |
| Fraxinus americana 'DurKaren' | 12 | 9 | 3b | Oval | Purple | Wind | | Female | High | | | Yes | Yes | RDPS |
| Calypso white ash | (38) | (30) | | wide | | | | | | | | | | |
| Fraxinus americana 'Jefnor' | 15 | 11 | 3 | Oval | Brown- | Wind | | Male | High | Yes | | Yes | | WRJN |
| Northern Blaze white ash | (50) | (36) | | wide | purple | | | | | | | | | |
| Fraxinus americana 'Jefwis' | 15 | 11 | 3 | Oval | Purple | Wind | | Male | High | Yes | Yes | | | PR |
| Nobility white ash | (50) | (36) | | wide | | | | | | | | | | |
| Fraxinus excelsior 'Excel' | 15 | 7 | 4 | Oval | Yellow | Wind | | Male | High | | | Yes | Yes | DKU |
| Excel ash | (50) | (23) | _ | wide | | | | | | | | | | |
| Fraxinus mandshurica 'Mancana' | 12 | 12 | 3 | Rounded | Golden | Wind | | Male | High | Yes | | Yes | | MRS |
| Mancana ash | (38) | (38) | | open | yellow | | | | | | | | | |
| Fraxinus nigra 'Fallgold' | 12 | 5 | 2 | Oval | Golden | Wind | Native | Male | High | Yes | | Yes | | WRMRS |
| Fallgold black ash | (38) | (16) | | 5 1 1 | yellow | **** | | 37.1 | | •• | | | | a 111 |
| Fraxinus pennsylvanica | 15 | 11 | 2 | Rounded | Yellow | Wind | Native | Male or | High | Yes | | Yes | | Seedling |
| Green ash | (50) | (36) | | loose | X 7 11 | **** 1 | 37 | Female | *** 1 | *** | | ** | | DDDG |
| Fraxinus pennsylvanica 'Durwinky' | 12 | 9 | 2 | Oval | Yellow | Wind | Native | Male | High | Yes | | Yes | | RDPS |
| Trojan green ash | (38) | (30) | 2 | wide | X7 11 | XX7: 1 | NT 4 | N/ 1 | TT' 1 | 37 | | X 7 | | **** |
| Fraxinus pennsylvanica 'Heuver' | 15 | 11 | 3 | Rounded | Yellow | Wind | Native | Male | High | Yes | | Yes | | НН |
| Foothills green ash | (50) | (36) | 2 | open | X7 - 11 | XX7: 1 | Niediese | M-1- | TT: -1. | V | | \$7 | | DD |
| Fraxinus pennsylvanica 'Patmore' | 15 | 11 | 3 | Rounded | Yellow | Wind | Native | Male | High | Yes | | Yes | | DP |
| Patmore green ash | (50) | (36) | 3 | loose | Vallan | Wind | Notivo | Male | Uiah | Vaa | | Vac | | DHNDSU |
| Fraxinus pennsylvanica 'Rugby' | 15 | | 3 | Oval | Yellow | Wind | Native | iviale | High | Yes | | Yes | | טפעומע |
| Prairie Spire green ash Fraxinus x 'Northern Gem' | (50) | (36) | 3 | wide | Golden | Wind | | Male | Ujah | Yes | | Yes | | WRCD |
| Northern Gem hybrid ash | (50) | (36) | 3 | Rounded | | vv IIIu | | iviale | High | ies | | res | | WACD |
| Normern Gem nyona asn | (30) | (36) | | open | yellow | | | | | | | | | |

| Scientific name in italics | Height | Width | Zone | Tree Form | Fall | Majority of | Native to | <i>Male</i> \ | Drought | 1 | Planting | Location | | Breeder/ |
|--|--------------|-----------------|------|-----------|----------|-------------|--------------|-------------------|-----------|-----------|----------|----------|-----------|-------------|
| Common name (Cultivar name is in bold letters) | metre (feet) | metre (feet) | | | Colour | Pollination | the Prairies | Female Flowers | Tolerance | Boulevard | Small | Large | Collector | Developer |
| (Cultivar name is in bold letters) | (feet) | (Jeet) | | | | | | riowers | | | Space | Space | Tree | See page 20 |
| Fraxinus x 'Northern Treasure' | 15 | 11 | 3 | Rounded | Golden | Wind | | Male | High | Yes | | Yes | | WRCD |
| Northern Treasure hybrid ash | (50) | (36) | | open | yellow | | | | | | | | | |
| Gleditsia – HONEYLOCUST | | | | | | | | | | | | | | |
| Gleditsia triacanthos 'Dursan' | 9 | 9 | 4 | Upright | Yellow | Insects | | Both | High | | | Yes | Yes | RDPS |
| Prairie Silk honeylocust | (30) | (30) | | spreading | | | | | | | | | | |
| Gleditsia triacanthos 'Harve' | 12 | 9 | 4 | Upright | Yellow | Insects | | Male | High | | | Yes | Yes | DHNDSU |
| Northern Acclaim honeylocust | (38) | (30) | | spreading | | | | | | | | | | |
| Gymnocladus – COFFEETREE | | | | | | | | | | | | | | |
| Gymnocladus dioicus | 15 | 8 | 4 | Oval | Yellow | Insects | | Male or | High | | | Yes | Yes | Seedlings |
| Kentucky coffeetree | (50) | (26) | | wide | | | | female | | | | | | |
| Juglans – WALNUT | | | | | | | | | | | | | | |
| Juglans cinera | 12 | 9 | 3 | Rounded | Green to | Wind | | Both | Medium | | | Yes | Yes | Seedlings |
| butternut | (38) | (30) | | open | yellow | | | | | | | | | |
| Juglans mandshurica | 12 | 9 | 3b | Rounded | Green to | Wind | | Both | Medium | | | Yes | Yes | Seedlings |
| Manchurian walnut | (38) | (30) | | open | yellow | | | | | | | | | |
| Juglans nigra | 12 | 9 | 3b | Rounded | Green to | Wind | | Both | Medium | | | Yes | Yes | Seedlings |
| black walnut | (38) | (30) | | open | yellow | | | | | | | | | |
| Larix – LARCH | | | | | | | | | | | | | | |
| Larix laricina | 15 | 7 | 2 | Pyramidal | Golden | Wind | Native | Both | High | | | Yes | | Seedling |
| native larch | (50) | (23) | | | yellow | | | | | | | | | |
| Larix sibirica | 15 | 7 | 2 | Conical | Golden | Wind | | Both | High | | | Yes | | Seedling |
| Siberian larch | (50) | (23) | | | yellow | **** | | | | | | | | DDDG |
| Larix siberica 'Durcarl' | 15 | 7 | 3 | Conical, | Golden | Wind | | Both | High | | | Yes | | RDPS |
| Oasis Siberian larch | (50) | (23) | | dense | yellow | | | | | | | | | |
| Maackia – MAACKIA | | | | | | 1 | | | | T | | | | |
| Maackia amurensis 'Summer Frost' | 8 | 5 | 3 | Rounded | Yellow | Insects | | Both | High | | Yes | Yes | Yes | RDGM |
| Summer Frost Amur maackia | (26) | (16) | | | | | | | | | | | | |
| Malus – ORNAMENTAL CRABAPPL | Æ | _ | | | | | | | | | | _ | | |
| Malus 'Almey' | 6 | 4 | 3 | Rounded | Yellow- | Insects | | Both | Medium | Yes | | Yes | | LKMRS |
| Almey flowering crabapple | (20) | (13) | | | orange | | | | | | | | | |
| Malus 'Big River' | 6 | 5 | 3 | Rounded | Yellow- | Insects | | Both | Medium | Yes | | Yes | | Nursery |
| Big River flowering crabapple | (20) | (16) | | 0 1 | orange | T . | | D 3 | 3.6.11 | | | 77 | *** | selection |
| Malus 'ByFrank' | 6 | 4 (12) | 3 | Oval | Purple | Insects | | Both | Medium | | | Yes | Yes | RDBY |
| Dark Knight flowering crabapple | (20) | (13) | | wide | | | | | | | | | | |
| | | <u> </u> | | | | <u> </u> | | | <u> </u> | | | 1 | l | |

| Scientific name in italics | Height | Width | Zone | Tree Form | Fall | Majority of | Native to | $Male \setminus$ | Drought | ı | Planting . | Location | | Breeder/ |
|------------------------------------|--------|--------|------|-----------|------------|-------------|--------------|------------------|------------|-----------|------------|----------|-----------|-------------|
| Common name | metre | metre | | | Colour | Pollination | the Prairies | Female | Tolerance | Boulevard | Small | Large | Collector | Developer |
| (Cultivar name is in bold letters) | (feet) | (feet) | | | | | | Flowers | | | Space | Space | Tree | See page 20 |
| Malus 'By1901' | 6 | 2 | 3 | Columnar | Purple | Insects | | Both | Medium | | Yes | Yes | | RDBY |
| Torchlight flowering crabapple | (20) | (7) | | | _ | | | | | | | | | |
| Malus 'Dolgo' | 6 | 4 | 2 | Oval | Yellow | Insects | | Both | Medium | Yes | | Yes | | SDSU |
| Dolgo flowering crabapple | (20) | (13) | | wide | | | | | | | | | | |
| Malus 'DurLawrence' | 6 | 4 | 2 | Upright | Orange | Insects | | Both but | Medium | Yes | | Yes | | RDPS |
| Courageous flowering crabapple | (20) | (13) | | oval | | | | sterile | | | | | | |
| Malus 'DurLeo' | 6 | 4 | 2 | Oval | Purple | Insects | | Both | Medium | Yes | | Yes | | RDPS |
| Gladiator rosybloom crabapple | (20) | (13) | | wide | | | | | | | | | | |
| Malus 'DurPSN130' | 6 | 4 | 2 | Oval | Purple | Insects | | Both | Medium | Yes | | Yes | | RDPS |
| Ambassador flowering crabapple | (20) | (13) | | wide | 1 0.1 p.10 | 1113000 | | 2011 | 1110010111 | | | | | |
| Malus 'Fuchsia Girl' | 6 | 4 | 2 | Rounded | Purple | Insects | | Both | Medium | Yes | | | | LK |
| Fuchsia Girl flowering crabapple | (20) | (13) | | | _ | | | | | | | | | |
| Malus 'Theonstar' | 6 | 2 | 3 | Columnar | Jade green | Insects | | Both | Medium | | Yes | Yes | | TP |
| Jade Bouquet columnar crabapple | (20) | (7) | | | | | | | | | | | | |
| Malus 'Jefgreen' | 6 | 2 | 3 | Columnar | Purple- | Insects | | Both | Medium | | Yes | Yes | | RDWR |
| Emerald Spire columnar crabapple | (20) | (7) | | | green | | | | | | | | | |
| Malus 'Jefnite' | 6 | 2 | 3 | Columnar | Purple | Insects | | Both | Medium | | Yes | Yes | | WRJN |
| Midnite Spire columnar crabapple | (20) | (7) | | | _ | | | | | | | | | |
| Malus 'Jeflite' | 6 | 4 | 2 | Rounded | Yellow | Insects | | Both | Medium | Yes | | Yes | | RDWR |
| Starlite flowering crabapple | (20) | (13) | | | | | | | | | | | | |
| Malus 'Jefwall' | 6 | 2 | 3 | Columnar | Yellow | Insects | | Both | Medium | | Yes | Yes | | WRJN |
| Green Wall columnar crabapple | (20) | (7) | | | | | | | | | | | | |
| Malus 'Kelsey' | 6 | 4 | 2 | Upright | Orange- | Insects | | Both | Medium | Yes | | Yes | | BCMRS |
| Kelsey flowering crabapple | (20) | (13) | | spreading | yellow | | | | | | | | | |
| Malus 'Makamik' | 6 | 4 | 2 | Rounded | Yellow | Insects | | Both | Medium | Yes | | Yes | | IPAC |
| Makamik flowering crabapple | (20) | (13) | | loose | | | | | | | | | | |
| Malus 'Pink Spires' | 6 | 4 | 2 | Oval | Yellow | Insects | | Both | Medium | Yes | | Yes | | LKSFNS |
| Pink Spires flowering crabapple | (20) | (13) | | wide | | | | | | | | | | |
| Malus 'Purple Spire' | 6 | 2 | 3 | Columnar | Purple | Insects | | Both | Medium | | | Yes | | DLSRC |
| Purple Spire flowering crabapple | (20) | (7) | | | | | | | | | | | | |
| Malus 'Radiant' | 6 | 4 | 2 | Upright | Orange | Insects | | Both | Medium | Yes | | Yes | | UMNA |
| Radiant flowering crabapple | (20) | (13) | | spreading | | | | | | | | | | |
| Malus 'Royal Mist' | 6 | 4 | 3 | Oval | Purple | Insects | | Both | Medium | Yes | | Yes | | RDWR |
| Royal Mist flowering crabapple | (20) | (13) | | wide | | | | | | | | | | |
| Malus 'Rosthern' | 6 | 2.5 | 2 | Oval | Yellow | Insects | | Both | Medium | | Yes | Yes | | REFAC |
| Rosthern flowering crabapple | (20) | (8) | | narrow | | | | | | | | | | |

| Scientific name in italics | Height | Width | Zone | Tree Form | Fall | Majority of | Native to | $Male \setminus$ | Drought | i | Planting I | Location | | Breeder/ |
|------------------------------------|--------|--------|------|-----------|----------|-------------|--------------|------------------|-----------|-----------|------------|----------|-----------|-------------|
| Common name | metre | metre | | | Colour | Pollination | the Prairies | Female | Tolerance | Boulevard | Small | Large | Collector | Developer |
| (Cultivar name is in bold letters) | (feet) | (feet) | | | | | | Flowers | | | Space | Space | Tree | See page 20 |
| Malus 'Royalty' | 6 | 4 | 2 | Upright | Purple | Insects | | Both | Medium | | | Yes | | LKSFNS |
| Royalty flowering crabapple | (20) | (13) | | spreading | | | | | | | | | | |
| Malus 'Rudolph' | 6 | 4 | 2 | Upright | Reddish- | Insects | | Both | Medium | | | Yes | | FS |
| Rudolph flowering crabapple | (20) | (13) | | spreading | purple | | | | | | | | | |
| Malus 'Selkirk' | 6 | 4 | 2 | Upright | Yellow | Insects | | Both | Medium | | | Yes | | MRS |
| Selkirk flowering crabapple | (20) | (13) | _ | spreading | | | | | | | | | | |
| Malus 'Shaughnessy Cohen' | 6 | 4 | 3 | Rounded | Yellow | Insects | | Both | Medium | | | Yes | | CDMRS |
| Shaughnessy Cohen flowering crab | (20) | (13) | | | | _ | | | | | | | | |
| Malus 'Spring Snow' | 6 | 4 | 2 | Rounded | Yellow | Insects | | Both but | Medium | | | Yes | | BP |
| Spring Snow flowering crabapple | (20) | (13) | 2 | 0 1 | X 7 11 | . | | sterile | 3.6.11 | | | *** | | CETALEA |
| Malus 'Sunsterile' | 6 | 4 | 2 | Oval | Yellow | Insects | | Both but | Medium | | | Yes | | SUNJA |
| Velocity flowering crabapple | (20) | (13) | 2 | wide | D 1 | T , | | sterile | 3.6.11 | | | *7 | | DIT |
| Malus 'Thunderchild' | 6 | 4 | 2 | Upright | Purple | Insects | | Both | Medium | | | Yes | | PW |
| Thunderchild flowering crabapple | (20) | (13) | | spreading | | | | | | | | | | |
| Ostrya – IRONWOOD | | | | | | | | | | | | | | |
| Ostrya virginiana | 8 | 5 | 3 | Rounded | Yellow | Insects | Native | Both | High | | | Yes | | Seedling |
| ironwood | (26) | (16) | | | | | | | | | | | | |
| Phellodendron – AMUR CORK TREE | , | | | | | | | | | | | | | |
| Phellodendron amurense | 12 | 12 | 3 | Rounded | Yellow | Insects | | Male or | Medium | | Yes | Yes | | Seedlings |
| Amur Cork Tree | (38) | (38) | | loose | | | | Female | | | | | | |
| Phellodendron amurense 'ByPSN800' | 12 | 12 | 3 | Rounded | Yellow | Insects | | Male | Medium | | Yes | Yes | | RDBY |
| Vino Amur cork tree | (38) | (38) | | loose | | | | | | | | | | |
| Picea – SPRUCE | | | | | | | | | | | | | | |
| Picea abies | 20 | 8 | 4 | Broad | Green | Wind | | Both | Medium | | | Yes | Yes | Seedling |
| Norway spruce | (65) | (26) | | pyramidal | | | | | | | | | | _ |
| Picea abies 'Columnaris' | 9 | 3 | 4 | Oval | Green | Wind | | Both | Medium | | | Yes | Yes | CNF |
| Columnar Norway spruce | (30) | (10) | | narrow | | | | | | | | | | |
| Picea abies 'fennica' | 20 | 8 | 3 | Broad | Green | Wind | | Both | Medium | | | Yes | | European |
| Finnish spruce | (65) | (26) | | pyramidal | | | | | | | | | | |
| Picea glauca | 20 | 8 | 3 | Broad | Green | Wind | Native | Both | Medium | | | Yes | | Seedling |
| white spruce | (65) | (26) | | pyramidal | | | | | | | | | | |
| Picea glauca 'Montrose Charm' | 10 | 3 | 3 | Columnar | Green | Wind | Native | Both | Medium | | | Yes | | Seedling |
| Montrose Charm white spruce | (33) | (10) | | narrow | | | | | | | | | | |
| Picea glauca 'pendula' | 6 | 2 | 3 | Weeping | Green | Wind | | Both | Medium | | Yes | Yes | | Seedling |
| weeping white spruce | (20) | (7) | | pyramidal | | | | | | | | | | |
| Picea glauca Var. densata | 13 | 8 | 2 | Conical | Green | Wind | Native | Both | Medium | | | Yes | | Seedling |
| Black Hills white spruce | (40) | (26) | | | | | | | | | | | | |

| Scientific name in italics | Height | Width | Zone | Tree Form | Fall | Majority of | Native to | $Male \setminus$ | Drought | | Planting | Location | | Breeder/ |
|--|-----------------|-----------------|------|-----------|------------|-------------|--------------|-------------------|-----------|-----------|----------------|----------------|-------------------|--------------------------|
| Common name (Cultivar name is in bold letters) | metre (feet) | metre (feet) | | | Colour | Pollination | the Prairies | Female Flowers | Tolerance | Boulevard | Small Space | Large Space | Collector Tree | Developer See page 20 |
| Picea meyeri | 20 | 8 | 3 | Pyramidal | Green | Wind | | Both | Medium | | - | Yes | | Seedling |
| Meyer's dwarf spruce | (65) | (26) | | | | | | | | | | | | |
| Picea pungens | 20 | 8 | 2 | Pyramidal | Blue | Wind | | Both | High | | | Yes | | Seedling |
| Colorado blue spruce | (65) | (26) | | | | | | | | | | | | |
| Picea pungens 'Baby Blue' | 9 | 5 | 3 | Pyramidal | Blue | Wind | | Both | High | | | Yes | | Seedling |
| Baby Blue Colorado spruce | (30) | (16) | | | | | | | | | | | | |
| Picea pungens 'Baby Blue Eyes' | 9 | 5 | 3 | Pyramidal | Blue | Wind | | Both | High | | | Yes | | Seedling |
| Baby Blue Eyes Colorado spruce | (30) | (16) | | | | | | | | | | | | |
| Picea pungens 'Bakeri' | 4 | 2 | 3 | Narrow, | Blue | Wind | | Both | High | | | Yes | | 1933 |
| Baker's Colorado blue spruce | (13) | (7) | | pyramidal | | | | | | | | | | introduction |
| Picea pungens 'Blue Diamond' | 8 | 6 | 3 | Pyramidal | Blue | Wind | | Both | High | | | Yes | | Europe |
| Blue Diamond Colorado blue spruce | (25) | (20) | | | | | | | | | | | | |
| Picea pungens 'Crystal Blue' | 12 | 5 | 3 | Pyramidal | Blue | Wind | | Both | High | | | Yes | | Seedling |
| Crystal Blue spruce | (38) | (16) | | | | | | | | | | | | |
| Picea pungens 'Fat Albert' | 9 | 5 | 3 | Pyramidal | Blue | Wind | | Both | High | | | Yes | | ISN |
| Fat Albert spruce | (30) | (16) | | • | | | | | | | | | | |
| Picea pungens 'Hoopsii' | 12 | 6 | 3 | Pyramidal | Blue | Wind | | Both | High | | | Yes | | HNG |
| Hoopsii spruce | (38) | (20) | | · | | | | | | | | | | |
| Pinus – PINE | | | | | | | | | | | | | | |
| Pinus aristata | 5 | 3 | 3 | Pyramidal | Blue-green | Wind | South-west | Both | High | | Yes | Yes | | Seedling |
| Rocky Mountain Bristlecone | (16) | (10) | | irregular | | | Alberta | | | | | | | |
| Pinus banksiana | 20 | 6 | 2 | Conical | Green | Wind | Native | Both | High | | | Yes | | Seedling |
| Jack pine | (65) | (20) | | irregular | | | | | | | | | | |
| Pinus cembra | 12 | 6 | 3 | Pyramidal | Green | Wind | | Both | High | | | Yes | | Seedling |
| Swiss Stone pine | (40) | (20) | | narrow | | | | | | | | | | |
| Pinus contorta latifolia | 20 | 6 | 2 | Conical | Green | Wind | Native to | Both | High | | | Yes | | Seedling |
| Lodgepole pine | (65) | (20) | | irregular | | | Alberta | | | | | | | |
| Pinus flexilis 'Cesarini Blue' | 8 | 2 | 3b | Conical | Blue-green | Wind | | Both | High | | | Yes | | JC |
| Blue Limber pine | (26) | (7) | | dense | | | | | | | | | | |
| Pinus ponderosa | 15 | 8 | 3 | Oval | Green | Wind | South-west | Both | High | | | Yes | | Seedling |
| Ponderosa pine | (50) | (26) | | wide | | | Alberta | | | | | | | |
| Pinus sylvestris | 15 | 8 | 3 | Rounded | Green | Wind | | Both | High | | | Yes | | Seedling |
| Scots pine | (50) | (26) | | loose | | | | | | | | | | |
| Pinus sylvestris 'Fastigiata' | 8 | 2 | 3 | Columnar | Green | Wind | | Both | High | | | Yes | | Europe |
| Columnar Scots pine | (26) | (7) | | narrow | | | | | | | | | | • |
| Pinus sylvestris 'French Blue' | 15 | 8 | 3 | Rounded | Blue-green | Wind | | Both | High | | | Yes | | Seedling |
| French Blue Scots pine | (50) | (26) | | loose | 8 | - | | | 0 | | | | | 8 |
| • | | , , | | | | | | | | | | | | |

| Scientific name in italics | Height | Width | Zone | Tree Form | Fall | Majority of | Native to | $Male \setminus$ | Drought | L | Planting | Location | | Breeder/ |
|--|-----------------|-----------------|------|-----------|--------|-------------|--------------|-------------------|-----------|-----------|----------------|----------------|-------------------|--------------------------|
| Common name (Cultivar name is in bold letters) | metre (feet) | metre (feet) | | | Colour | Pollination | the Prairies | Female Flowers | Tolerance | Boulevard | Small Space | Large Space | Collector Tree | Developer See page 20 |
| Pinus uncinata | 10 | 5 | 3 | Oval | Green | Wind | | Both | High | | Yes | Yes | 1700 | Seedling |
| Mountain pine | (33) | (16) | | wide | | | | | | | | | | |
| Populus – ASPEN & POPLAR | | | | | | | | | | | | | | |
| Populus x acuminate | 15 | 6 | 3 | Oval | Yellow | Wind | Native | Male | Medium | | | Yes | | Native |
| Lanceleaf poplar | (50) | (20) | | wide | | | | | | | | | | hybrid |
| Populus angustifolia | 15 | 9 | 3 | Oval | Yellow | Wind | Native | Male | Medium | | | Yes | | Native |
| Narrowleaf poplar | (50) | (30) | | wide | | | | | | | | | | |
| Populus balsamifera | 15 | 9 | 2 | Rounded | Yellow | Wind | Native | Male or | Medium | | | Yes | | Native |
| Balsam poplar | (50) | (30) | | | | | | Female | | | | | | |
| Populus balsamifera 'Paskapoo' | 7 | 7 | 2 | Rounded | Yellow | Wind | Native | Male | Medium | | | Yes | | KW |
| Paskapoo balsam poplar | (23) | (23) | | | | | | | | | | | | |
| Populus deltoides 'Jefcot' | 24 | 9 | 3 | Oval | Yellow | Wind | Native | Male | Medium | | | Yes | | RDWR |
| Skyfest poplar | (80) | (30) | | wide | | | | | | | | | | |
| Populus deltoides 'Siouxland' | 20 | 12 | 3 | Oval | Yellow | Wind | Native | Male | Medium | | | Yes | | SDSU |
| Siouxland cottonwood poplar | (65) | (38) | | wide | | | | | | | | | | |
| Populus grandidentata 'Durman' | 12 | 3 | 2 | Oval | Yellow | Wind | Native | Male | Medium | | | Yes | | RDPS |
| Sabre large-toothed aspen | (38) | (10) | | wide | | | | | | | | | | |
| Populus grandidentata 'Jefmont' | 12 | 3 | 2 | Oval | Yellow | Wind | Native | Male | Medium | | | Yes | | WRJN |
| Grandmont large-toothed aspen | (38) | (10) | | wide | | | | | | | | | | |
| Populus sargentii | 20 | 10 | 3 | Rounded | Yellow | Wind | Native | Male | Medium | | | Yes | | Native |
| Sargent poplar | (65) | (33) | | open | | | | | | | | | | |
| Populus tremula 'Erecta' | 10 | 1.5 | 2 | Columnar | Yellow | Wind | | Male | Medium | | Yes | Yes | | Europe |
| Swedish Columnar aspen | (33) | (5) | | | | | | | | | | | | |
| Populus tremuloides | 15 | 8 | 2 | Rounded | Yellow | Wind | Native | Male or | Medium | | | Yes | | Seedling |
| Trembling aspen | (50) | (26) | | spreading | | | | Female | | | | | | |
| Populus tremuloides 'By1906' | 10 | 1.5 | 2 | Columnar | Yellow | Wind | Native | Male | Medium | | Yes | Yes | | RDBY |
| Alpha trembling aspen | (33) | (5) | | | | | | | | | | | | |
| Populus tremuloides 'Advance Upright' | 15 | 5 | 2 | Oval | Yellow | Wind | | Male | Medium | | | Yes | | GM |
| Advance Upright trembling aspen | (50) | (16) | | narrow | | | | | | | | | | |
| Populus tremuloides 'ByJoe' | 15 | 8 | 2 | Rounded | Yellow | Wind | Native | Male | Medium | | | Yes | | RDJM |
| Amigo trembling aspen | (50) | (26) | | spreading | | | | | | | | | | |
| Populus tremuloides 'KMN01' | 15 | 8 | 2 | Oval | Yellow | Wind | Native | Male | Medium | | | Yes | | KMCV |
| Dancing Flame trembling aspen | (50) | (26) | | narrow | | | | | | | | | | |
| Populus tremuloides 'Prairie Skyrise' | 10 | 1.5 | 2 | Columnar | Yellow | Wind | | Male | Medium | | | Yes | | BSN |
| Prairie Skyrise hybrid aspen | (33) | (5) | | | | | | | | | | | | |
| Populus x 'ACWS151' | 15 | 5 | 2 | Oval | Yellow | Wind | | Male | Medium | | | Yes | | PFRA |
| Sundancer poplar | (50) | (16) | | wide | | | | | | | | | | |

| Scientific name in italics | Height | Width | Zone | Tree Form | Fall | Majority of | Native to | $Male \setminus$ | Drought | i | Planting | Location | | Breeder/ |
|--|-----------------|-----------------|------|-----------|-----------|-------------|--------------|-------------------|-----------|-----------|----------------|----------------|-------------------|--------------------------|
| Common name (Cultivar name is in bold letters) | metre (feet) | metre (feet) | | | Colour | Pollination | the Prairies | Female Flowers | Tolerance | Boulevard | Small Space | Large Space | Collector Tree | Developer See page 20 |
| Populus x 'Assiniboine' | 15 | 9 | 3 | Oval | Yellow | Wind | | Male | Medium | | 1 | Yes | | PFRA |
| Assiniboine poplar | (50) | (30) | | wide | | | | | | | | | | |
| Populus x 'Byland Green' | 20 | 10 | 3 | Oval | Yellow | Wind | | Male | Medium | | | Yes | | BRC |
| Byland Green poplar | (65) | (33) | | wide | | | | | | | | | | |
| Populus x 'Byrick' | 12 | 2.5 | 3 | Columnar | Yellow | Wind | | Male | Medium | | Yes | Yes | | RDBY |
| Gatekeeper columnar aspen | (38) | (8) | | | | | | | | | | | | |
| Populus x 'City of Calgary' | 18 | 10 | 3 | Oval | Yellow | Wind | | Male | Medium | | | Yes | | CCPD |
| Memorial poplar | (60) | (33) | | wide | | | | | | | | | | |
| Populus x 'Jefguard' | 12 | 3 | 3 | Columnar | Yellow | Wind | | Male | Medium | | Yes | Yes | | WRRD |
| Guardian columnar aspen | (38) | (10) | | | | | | | | | | | | |
| Populus x 'Katepwa' | 15 | 9 | 2 | Oval | Yellow | Wind | | Male | Medium | | | Yes | | PFRA |
| Katepwa poplar | (50) | (30) | | wide | | | | | | | | | | |
| Populus x 'Okanese' | 18 | 8 | 2 | Rounded | Yellow | Wind | | Male | Medium | | | Yes | | PFRA |
| Okanese poplar | (60) | (26) | | | | | | | | | | | | |
| Populus x 'Prairie Sky' | 20 | 5 | 3 | Oval | Yellow | Wind | | Male | Medium | | | Yes | | WRMRS |
| Prairie Sky poplar | (65) | (16) | | wide | | | | | | | | | | |
| Populus x 'Tristis' | 15 | 10 | 3 | Rounded | Yellow | Wind | | Male | Medium | | | Yes | | Europe |
| Tristis poplar | (50) | (33) | | | | | | | | | | | | |
| Populus x 'Walker' | 20 | 5 | 2 | Oval | Yellow | Wind | | Female | Medium | | | Yes | | PFRA |
| Walker poplar | (65) | (16) | | wide | | | | | | | | | | |
| Populus x canescens 'Tower' | 10 | 2 | 3 | Columnar | Yellow | Wind | | Male | Medium | | Yes | Yes | | WRMRS |
| Tower aspen | (33) | (7) | | | | | | | | | | | | |
| Populus x 'Northwest' | 20 | 10 | 2 | Rounded | Yellow | Wind | Native | Male | Medium | | | Yes | | Natural |
| Northwest poplar | (65) | (33) | | open | | | hybrid | | | | | | | hybrid |
| Prunus – CHERRY & PLUM | | | | | | | | | | | | | | |
| Prunus maackii 'Jedike' | 8 | 5 | 3 | Rounded | Yellow | Insects | | Both | Medium | | | Yes | | WRJN |
| Klondike Amur cherry | (26) | (16) | | open | | | | | | | | | | |
| Prunus maackii 'Jefspur' | 5 | 3 | 3 | Oval | Yellow | Insects | | Both | Medium | | Yes | Yes | | PR |
| Goldspur Amur cherry | (16) | (10) | | narrow | | | | | | | | | | |
| Prunus nigra 'Princess Kay' | 5 | 5 | 2 | Rounded | Yellow to | Insects | Native | Both | Medium | | Yes | Yes | | UMNA |
| Princess Kay cherry | (16) | (16) | | | orange | | | | | | | | | |
| Prunus padus | 10 | 8 | 2 | Rounded | Yellow | Insects | | Both | Medium | | | Yes | | Seedling |
| Mayday cherry | (33) | (26) | | | | | | | | | | | | |
| Prunus padus 'Advance' | 9 | 6 | 3 | Oval | Yellow | Insects | | Both | Medium | | | Yes | | GM |
| Advance mayday | (30) | (20) | | narrow | | | | | | | | | | |
| Prunus padus 'Sunstar' | 9 | 8 | 3 | Oval wide | Yellow | Insects | | Both | Medium | | | Yes | | SUNHV |
| Sunstar mayday | (30) | (26) | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

| Scientific name in italics | Height | Width | Zone | Tree Form | Fall | Majority of | Native to | Male\ | Drought | 1 | Planting | Location | | Breeder/ |
|--|-----------------|-----------------|------|-----------|-----------|---|--------------|-------------------|-----------|-----------|----------------|----------------|-------------------|--------------------------|
| Common name (Cultivar name is in bold letters) | metre (feet) | metre (feet) | | | Colour | Pollination | the Prairies | Female Flowers | Tolerance | Boulevard | Small Space | Large Space | Collector Tree | Developer See page 20 |
| Prunus padus 'Sweetheart' | 6 | 3 | 2 | Upright | Yellow | Insects | | Both | Medium | | Yes | Yes | | GM |
| Sweetheart mayday | (20) | (10) | | spreading | | | | | | | | | | |
| Prunus pennsylvanica | 5 | 3 | 2 | Upright | Yellow | Insects | Native | Both | Medium | | | Yes | | Seedling |
| Pin cherry | (16) | (10) | _ | spreading | | _ | | | | | | | | |
| Prunus virginiana 'Arrowhead Schubert' | 6 | 4 | 2 | Pyramidal | Purple | Insects | Native | Both | Medium | | | Yes | | JV |
| Arrowhead Dwarf Schubert cherry | (20) | (13) | | | ~ 1 | Ţ. | | | 3.7.11 | | | | | |
| Prunus virginiana 'Bailey Select' | 7 | 5 | 2 | Rounded | Purple | Insects | Native | Both | Medium | | | Yes | | BN |
| Bailey Select cherry | (23) | (16) | | dense | | | | | | | | | | |
| Prunus virginiana 'Midnight' | 6 | 6 | 2 | Rounded | Purple | Insects | Native | Both | Medium | | | Yes | | LTF |
| Midnight cherry | (20) | (20) | | | | | | | | | | | | 0 |
| Prunus virginiana 'Schubert' | 7 | 5 | 2 | Oval | Purple | Insects | Native | Both | Medium | | | Yes | | OWN |
| Schubert cherry | (23) | (16) | | wide | | | | | | | | | | |
| Prunus virginiana 'Spur' | 7 | 5 | 2 | Oval | Purple | Insects | Native | Both | Medium | | | Yes | | Nursery |
| Spur cherry | (23) | (16) | | wide | | | | | | | | | | selection |
| Prunus x 'Ming' | 8 | 5 | 2 | Oval | Yellow | Insects | | Both | Medium | | Yes | Yes | | UOFSBB |
| Ming Amur cherry hybrid | (26) | (16) | | wide | | | | | | | | | | |
| Prunus x nigrella 'Muckle' | 5 | 3 | 2 | Oval | Yellow | Insects | | Both | Medium | | Yes | Yes | | MRS |
| Muckle plum | (16) | (10) | | wide | | | | | | | | | | |
| Pseudotsuga – DOUGLAS FIR | | | | | | | | | | | | | | |
| Pseudotsuga menziesii glauca | 15 | 6 | 3 | Pyramidal | Green | Wind | Southwest | Both | Medium | | | Yes | | Seedling |
| Rocky Mountain Douglas Fir | (50) | (20) | | | | | Alberta | | | | | | | |
| Pyrus – PEAR | | | | | | | | | | | | | | |
| Pyrus ussuriensis 'Bailfrost' | 10 | 6 | 3 | Oval | Yellow | Insects | | Both | Medium | | Yes | Yes | | BN |
| Mountain Frost pear | (33) | (20) | | | | | | | | | | | | |
| Pyrus x 'Dur303' | 10 | 6 | 2 | Oval | Yellow to | Insects | | Both | Medium | | | Yes | | RDPS |
| Navigator pear | (33) | (20) | | | orange | | | | | | | | | |
| Quercus – OAK | / | | | | | | | | | • | | <u> </u> | | |
| Quercus ellipsoidalis 'Durmarg' | 15 | 10 | 3 | Rounded | Red to | Wind | NW | Both | High | | | Yes | | RDPS |
| Shooting Star northern pin oak | (50) | (33) | | open | purple | ,,,,,,, | Ontario | Dom | 111511 | | | | | |
| Quercus ellipsoidalis 'Bailskies' | 15 | 10 | 3 | Rounded | Red | Wind | NW | Both | High | | | Yes | | BN |
| Majestic Skies northern pin oak | (50) | (33) | | open | Tica - | ,,,,,,, | Ontario | Dom | 111511 | | | | | |
| Quercus macrocarpa | 20 | 10 | 2 | Rounded | Yellow | Wind | Native | Both | High | Yes | | Yes | | Seedling |
| Bur oak | (65) | (33) | | open | 10110 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 1 (44) | Dom | 111811 | 105 | | | | 200011116 |
| Quercus macrocarpa 'Bydur' | 15 | 5 | 2 | Oval | Yellow | Wind | Native | Both | High | Yes | | Yes | | RDPS |
| Top Gun bur oak | (50) | (16) | | narrow | 10110 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 1 (44) | Dom | 111811 | 105 | | | | |
| Quercus macrocarpa 'Byargo' | 20 | 10 | 2 | Rounded | Yellow | Wind | Native | Both | High | Yes | | Yes | | RDBY |
| Fargo Express bur oak | (65) | (33) | | open | 10110 | ,,,,,,, | 1 (44) | Dom | 111511 | 105 | | | | |

| Scientific name in italics | Height | Width | Zone | Tree Form | Fall | Majority of | Native to | $Male \setminus$ | Drought | i | Planting | Location | | Breeder/ |
|--------------------------------------|--------|--------|------|-----------|---------|-------------|--------------|------------------|-----------|------------|----------|----------|-----------|-------------|
| Common name | metre | metre | | | Colour | Pollination | the Prairies | Female | Tolerance | Boulevard | Small | Large | Collector | Developer |
| (Cultivar name is in bold letters) | (feet) | (feet) | | | | | | Flowers | | Bottlevene | Space | Space | Tree | See page 20 |
| Quercus macrocarpa 'Advsen' | 18 | 4 | 2 | Oval | Yellow | Wind | Native | Both | High | | Yes | Yes | | GM |
| Sentry bur oak | (60) | (13) | | narrow | | | | | | | | | | |
| Quercus x jackiana 'Jefmir' | 12 | 9 | 2 | Pyramidal | Yellow- | Wind | | Both | High | Yes | | Yes | | PR |
| Admiration hybrid oak | (38) | (30) | | | green | | | | | | | | | |
| Quercus x warei 'Nadler' | 9 | 2 | 4 | Columnar | Yellow- | Wind | | Both | High | | Yes | | Yes | EC |
| Kindred Spirit hybrid oak | (30) | (7) | | | green | | | | | | | | | |
| Quercus x warei 'Long' | 12 | 5 | 4 | Columnar | Yellow- | Wind | | Both | High | | Yes | | Yes | EC |
| Regal Prince hybrid oak | (38) | (16) | | | brown | | | | | | | | | |
| Salix – WILLOW | | | | | | | | | | | | | | |
| Salix acutifolia | 18 | 10 | 3 | Rounded | Yellow | Insects | | Male | Medium | | | Yes | | Europe |
| Acute Leaf willow | (60) | (33) | | | | | | | | | | | | |
| Salix alba 'Advance' | 16 | 9 | 3 | Rounded | Yellow | Insects | | Male | Medium | | | Yes | | GM |
| Advance Golden willow | (52) | (30) | | | | | | | | | | | | |
| Salix alba 'Sericea' | 16 | 9 | 3 | Rounded | Silver | Insects | | Female | Medium | | | Yes | | Europe |
| Silverleaf willow | (52) | (30) | | | | | | | | | | | | |
| Salix alba 'Vitellina' | 18 | 12 | 3 | Rounded | Yellow | Insects | | Female | Medium | | | Yes | | Europe |
| Golden willow | (60) | (38) | | | | | | | | | | | | |
| Salix babylonica 'Lace' | 10 | 8 | 3 | Rounded | Yellow | Insects | | N/A | Medium | | | Yes | | Mongolia |
| Lace weeping willow | (33) | (26) | | weeping | | | | | | | | | | |
| Salix babylonica 'Northern Fountain' | 12 | 12 | 3 | Rounded | Yellow | Insects | | Female | Medium | | | Yes | | LA |
| Northern Fountain willow | (38) | (38) | | weeping | | | | | | | | | | |
| Salix pentandra | 18 | 10 | 2 | Rounded | Green- | Insects | | Female | Medium | | | Yes | | Europe |
| Laurel Leaf willow | (60) | (33) | | | yellow | | | | | | | | | |
| Salix x meyeriana'Silver Lake' | 18 | 10 | 2 | Rounded | Green- | Insects | | Female | Medium | | | Yes | | DHNDSU |
| Prairie Reflection laurel willow | (60) | (33) | | | yellow | | | | | | | | | |
| Salix x 'Prairie Cascade' | 12 | 9 | 3 | Rounded | Yellow | Insects | | Female | Medium | | | Yes | | WRMRS |
| Prairie Cascade willow | (38) | (30) | | weeping | | | | | | | | | | |
| Sorbus – MOUNTAIN ASH | | | | | | | | | | | | | | |
| Sorbus americana | 9 | 6 | 2 | Rounded | Orange- | Insects | Eastern | Both | Medium | | | Yes | | Seedling |
| American mountain ash | (30) | (20) | | | red | | Canada | | | | | | | _ |
| Sorbus aucuparia | 9 | 6 | 3 | Rounded | Orange- | Insects | | Both | Medium | | | Yes | | Seedling |
| European mountain ash | (30) | (20) | | | red | | | | | | | | | |
| Sorbus aucuparia 'Black Hawk' | 9 | 6 | 3 | Oval | Orange- | Insects | | Both | Medium | | | Yes | | Nursery |
| Black Hawk mountain ash | (30) | (20) | | wide | red | | | | | | | | | selection |
| Sorbus aucuparia 'Advlux' | 6 | 3 | 3 | Oval | Orange- | Insects | | Both | Medium | | Yes | Yes | | FE |
| Luxor mountain ash | (20) | (10) | | narrow | red | | | | | | | | | |
| Sorbus aucuparia 'Michred' | 9 | 36 | 4 | Oval | Orange- | Insects | | Both | Medium | | | Yes | Yes | Europe |
| Cardinal Royal mountain ash | (30) | (20) | | narrow | red | | | | | | | | | |

| Scientific name in italics | Height | Width | Zone | Tree Form | Fall | Majority of | Native to | <i>Male</i> \ | Drought | 1 | Planting | Location | | Breeder/ |
|-------------------------------------|--------|--------|------|-----------|---------|-------------|--------------|---------------|-----------|-----------|----------|----------|-----------|-------------|
| Common name | metre | metre | | | Colour | Pollination | the Prairies | Female | Tolerance | Boulevard | Small | Large | Collector | Developer |
| (Cultivar name is in bold letters) | (feet) | (feet) | | | | | | Flowers | | | Space | Space | Tree | See page 20 |
| Sorbus aucuparia 'Pyramidal' | 9 | 3 | 2 | Oval | Orange- | Insects | | Both | Medium | | Yes | Yes | • | Europe |
| Pyramidal mountain ash | (30) | (10) | | narrow | red | | | | | | | | | 1 |
| Sorbus aucuparia 'Rossica' | 9 | 5 | 2 | Oval | Orange- | Insects | | Both | Medium | | | Yes | | Nursery |
| Russian mountain ash | (30) | (16) | | widel | red | | | | | | | | | selection |
| Sorbus aucuparia 'Skybound' | 9 | 3 | 3 | Oval | Orange- | Insects | | Both | Medium | | Yes | Yes | | CAVK |
| Skybound mountain ash | (30) | (10) | | narrow | red | | | | | | | | | |
| Sorbus decora | 9 | 6 | 2 | Rounded | Red | Insects | Native | Both | Medium | | | Yes | | Seedling |
| Showy mountain ash | (30) | (20) | | | | | | | | | | | | |
| Sorbus decora 'Advline' | 9 | 6 | 2 | Oval wide | Red | Insects | Native | Both | Medium | | | Yes | | FE |
| Showtime Showy mountain ash | (30) | (20) | | | | | | | | | | | | |
| Syringa – TREE LILAC | | | | | | | | | | | | | | |
| Syringa pekinensis 'SunDak' | 6 | 6 | 4 | Rounded | Green- | Insects | | Both | High | | | | Yes | DHNDSU |
| Copper Curls tree lilac | (20) | (20) | | spreading | yellow | | | | | | | | | |
| Syringa reticulata | 6 | 6 | 2 | Rounded | Green- | Insects | | Both | High | Yes | | Yes | | Seedling |
| Japanese tree lilac | (20) | (20) | | spreading | yellow | | | | | | | | | |
| Syringa reticulata 'Bailnce' | 6 | 6 | 2 | Rounded | Green- | Insects | | Both | High | Yes | | Yes | | BN |
| Snowdance Japanese tree lilac | (20) | (20) | | spreading | yellow | | | | | | | | | |
| Syringa reticulata 'Duriske' | 5 | 4 | 2 | Oval | Purple | Insects | | Both | High | | Yes | Yes | | RDPS |
| Shogun Japanese tree lilac | (16) | (13) | | wide | | | | | | | | | | |
| Syringa reticulata 'Golden Eclipse' | 6 | 4 | 3 | Oval | Green- | Insects | | Both | High | | Yes | Yes | | JCB |
| Golden Eclipse Japanese tree lilac | (20) | (13) | | narrow | yellow | | | | | | | | | |
| Syringa reticulata 'Ivory Silk' | 7 | 6 | 3 | Oval | Green- | Insects | | Both | High | Yes | | Yes | | SN |
| Ivory Silk Japanese tree lilac | (23) | (20) | | wide | yellow | | | | | | | | | |
| Syringa reticulata 'Sigzam' | 7 | 5 | 3 | Rounded | Green- | Insects | | Both | High | Yes | | Yes | | LC |
| Signature Japanese tree lilac | (23) | (16) | | compact | yellow | | | | | | | | | |
| Syringa reticulata 'Summer Storm' | 7 | 5 | 3 | Upright | Green- | Insects | | Both | High | Yes | | Yes | | RKBN |
| Summer Storm Japanese tree lilac | (23) | (16) | | spreading | yellow | | | | | | | | | |
| Syringa reticulata 'Willamette' | 7 | 5 | 3 | Oval | Green- | Insects | | Both | High | Yes | | Yes | | CP |
| Ivory Pillar Japanese tree lilac | (23) | (16) | | wide | yellow | | | | | | | | | |
| Thuja – CEDAR | | | | | | | | | | | | | | |
| Thuja occidentalis 'Brandon' | 7 | 1.25 | 2 | Columnar | Green | Wind | | Both | Medium | | Yes | Yes | | DP |
| Brandon Pyramidal cedar | (23) | (4) | | dense | | | | | | | | | | |
| Thuja occidentalis 'Skybound' | 7 | 1.25 | 2 | Columnar | Green | Wind | | Both | Medium | | Yes | Yes | | RB |
| Skybound cedar | (23) | (4) | | dense | | | | | | | | | | |
| Tilia – LINDEN | | | | | | | | | | | | | | |
| Tilia americana | 15 | 9 | 2 | Oval | Yellow | Insects | Native | Both | Medium | Yes | | Yes | | Seedling |
| American linden (basswood) | (50) | (30) | | wide | | | | | | | | | | |

| Scientific name in italics | Height | Width | Zone | Tree Form | Fall | Majority of | Native to | <i>Male</i> \ | Drought | 1 | Planting . | Location | | Breeder/ |
|--|-----------------|-----------------|------|-----------|--------|-------------|--------------|-------------------|-----------|-----------|------------|----------|-----------|--------------------------|
| Common name (Cultivar name is in bold letters) | metre (feet) | metre (feet) | | | Colour | Pollination | the Prairies | Female Flowers | Tolerance | Boulevard | Small | Large | Collector | Developer See page 20 |
| (Cultival name is in bold letters) | (Jeei) | (Jeei) | | | | | | riowers | | | Space | Space | Tree | See page 20 |
| Tilia americana 'Duros' | 15 | 7 | 2 | Oval | Yellow | Insects | Native | Both | Medium | Yes | | Yes | | RDPS |
| True North linden | (50) | (23) | | wide | | | | | | | | | | |
| Tilia americana 'Bailyard' | 15 | 9 | 3 | Oval | Yellow | Insects | Native | Both | Medium | Yes | | Yes | | BN |
| Frontyard linden | (50) | (30) | | wide | | | | | | | | | | |
| Tilia americana 'Lakestreet' | 15 | 9 | 2 | Oval | Yellow | Insects | Native | Both | Medium | Yes | | Yes | | LTF |
| American Streetscaper linden | (50) | (30) | | wide | | | | | | | | | | |
| Tilia americana 'McKSentry' | 15 | 9 | 3 | Oval | Yellow | Insects | Native | Both | Medium | Yes | | Yes | | MCKN |
| American Sentry linden | (50) | (30) | | wide | | | | | | | | | | |
| Tilia americana 'Redmond' | 15 | 9 | 3 | Pyramidal | Yellow | Insects | Native | Both | Medium | Yes | | Yes | | PFN |
| Redmond linden | (50) | (30) | | | | | | | | | | | | |
| Tilia cordata | 12 | 9 | 3 | Pyramidal | Yellow | Insects | | Both | Medium | Yes | | Yes | | Seedling |
| Littleleaf linden | (38) | (30) | | | | | | | | | | | | |
| Tilia cordata 'BySkinner' | 12 | 9 | 2 | Pyramidal | Yellow | Insects | | Both | Medium | Yes | | Yes | | HS |
| Lone Star linden | (38) | (30) | | · | | | | | | | | | | |
| Tilia cordata 'Golden Cascade' | 12 | 8 | 3 | Weeping | Yellow | Insects | | Both | Medium | | | Yes | | WRRD |
| Golden Cascade linden | (38) | (26) | | , , | | | | | | | | | | |
| Tilia cordata 'Chancole' | 12 | 9 | 3 | Oval | Yellow | Insects | | Both | Medium | Yes | | Yes | | Nursery |
| Chancellor littleleaf linden | (38) | (30) | | wide | | | | | | | | | | selection |
| Tilia cordata 'Corzam' | 12 | 9 | 3 | Oval | Yellow | Insects | | Both | Medium | Yes | | Yes | | LON |
| Corinthian littleleaf linden | (38) | (30) | | wide | | | | | | | | | | LCN |
| Tilia cordata 'Greenspire' | 12 | 9 | 3 | Oval | Yellow | Insects | | Both | Medium | Yes | | Yes | | DNI |
| Greenspire littleleaf linden | (38) | (30) | | wide | | | | | | | | | | PN |
| Tilia cordata 'Ronald' | 12 | 9 | 3 | Oval | Yellow | Insects | | Both | Medium | Yes | | Yes | | WR |
| Norlin linden | (38) | (30) | | wide | | | | | | | | | | |
| Tilia flavescens 'Dropmore' | 12 | 9 | 2 | Oval | Yellow | Insects | | Both | Medium | Yes | | Yes | | FS |
| Dropmore linden | (38) | (30) | | wide | | | | | | | | | | |
| Tilia flavescens 'Glenleven' | 12 | 9 | 3 | Pyramidal | Yellow | Insects | | Both | Medium | Yes | | Yes | | SN |
| Glenleven linden | (38) | (30) | | Ĭ | | | | | | | | | | |
| Tilia flavescens 'Jordsun' | 15 | 9 | 2 | Oval | Yellow | Insects | | Both | Medium | Yes | | Yes | | SUNJA |
| Curb Appeal linden | (50) | (30) | | wide | | | | | | | | | | |
| Tilia flavescens 'Jefhouse' | 12 | 7 | 3 | Oval | Yellow | Insects | | Both | Medium | Yes | | Yes | | WRJN |
| Lighthouse linden | (38) | (23) | | narrow | | | | | | | | | | |
| Tilia mongolica 'DurJake' | 12 | 8 | 3 | Weeping | Yellow | Insects | | Both | Medium | | | Yes | Yes | RDPS |
| Windancer Mongolian linden | (38) | (26) | | r o | | | | | | | | | | |
| Tilia mongolica 'Harvest Gold' | 12 | 9 | 3 | Oval | Golden | Insects | | Both | Medium | Yes | | Yes | | RDWR |
| Harvest Gold Mongolian linden | (38) | (30) | | wide | yellow | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

| Scientific name in italics | Height | Width | Zone | Tree Form | Fall | Majority of | Native to | $Male \setminus$ | Drought | | Planting . | Location | | Breeder/ |
|---|-----------------|-----------------|------|-----------|----------|-------------|--------------|-------------------|-----------|-----------|----------------|----------------|-------------------|--------------------------|
| (Cultivar name is in bold letters) | metre (feet) | metre (feet) | | | Colour | Pollination | the Prairies | Female Flowers | Tolerance | Boulevard | Small Space | Large Space | Collector Tree | Developer See page 20 |
| Ulmus – ELM | | • | | | | | | | <u> </u> | | | • | | • |
| Ulmus americana | 20 | 12 | 2 | Upright | Yellow | Wind | Native | Both | High | Yes | | | | Seedling |
| American elm | (65) | (38) | | fan | | | | | | | | | | |
| Ulmus americana 'Brandon' | 20 | 10 | 2 | Upright | Yellow | Wind | Native | Both | High | Yes | | Yes | | DP |
| Brandon American elm | (65) | (33) | | fan | | | | | | | | | | |
| Ulmus americana 'Lewis & Clark' | 20 | 12 | 3 | Upright | Yellow | Wind | Native | Both | High | Yes | | Yes | | DHNDSU |
| Prairie Expedition American elm | (65) | (38) | | fan | | | | | | | | | | |
| Ulmus americana 'Patmore' | 20 | 12 | 2 | Upright | Yellow | Wind | Native | Both | High | Yes | | Yes | | DP |
| Patmore American elm | (65) | (38) | | fan | | | | | | | | | | |
| Ulmus americana x 'By1709' | 15 | 10 | 3 | Upright | Yellow | Wind | | Both | High | Yes | | Yes | | RDBY |
| Endeavor hybrid elm | (50) | (33) | | fan | | | | | | | | | | |
| Ulmus davidiana var. Japonica | 12 | 9 | 3 | Rounded | Yellow | Wind | | Both | High | Yes | | Yes | | RDPS |
| 'Discovery' Discovery elm | (38) | (30) | | | | | | | | | | | | |
| Ulmus davidiana var. Japonica | 12 | 9 | 3 | Rounded | Reddish | Wind | | Both | High | Yes | | Yes | | WRJN |
| 'Freedom' Freedom elm | (38) | (30) | | flat top | yellow | | | | | | | | | |
| Ulmus davidiana var. Japonica | 9 | 9 | 3 | Upright | Burgundy | Wind | | Both | High | Yes | | Yes | | DHNDSU |
| 'Northern Empress' Northern Empress elm | (30) | (30) | | fan | red | | | | | | | | | |
| Ulmus davidiana x pumila 'Durby' | 12 | 9 | 3 | Upright | Red to | Wind | | Both | High | Yes | | Yes | _ | RDPS |
| Night Rider Japanese hybrid elm | (38) | (30) | | fan | purple | | | | | | | | | |
| Ulmus x 'Morton Glossy' | 15 | 9 | 3 | Upright | Yellow | Wind | | Both | High | Yes | | Yes | | MA |
| Triumph hybrid elm | (50) | (30) | | fan | | | | | | | | | | |



Legend of Columns:

| Scientific name in italics | Height | Width | Zone | Tree Form | Fall Colour | Majority of | Native to | <i>Male</i> \ | Drought | Planting Location | | Breeder/ | | |
|------------------------------------|--------|--------|------|-----------|-------------|-------------|-----------|---------------|------------------|-------------------|---------|----------|-----------|-------------|
| Common name | metre | metre | | | | Pollination | the | Female | <i>Tolerance</i> | | | | | Developer |
| (Cultivar name is in bold letters) | (feet) | (feet) | | | | | Prairies | Flowers | | Boulevard | Small | Large | Collector | See page 19 |
| | | | | | | | | | | | Space S | Space | Tree | |
| #1 | #2 | #3 | #4 | #5 | #6 | #7 | #8 | #9 | #10 | #11 | | #12 | | |

- #1 The scientific name that includes the cultivar name. However, not all cultivar names in this chart mean that they are clones. For example: *Picea pungens* 'Crystal Blue' spruce is not a clone but a seed source and therefore is marked as a seedling in the last column. Crystal Blue is not bolded because it is a seed source and not a clone. The common names that are bolded, such as **Fat Albert**, is because it is a clone and therefore a cultivar (cultivated variety).
- #2 The first number is the mature height in metres and the second number below in (brackets) is in feet. Heights vary throughout the prairie region so these numbers are only a guideline.
- #3 The first number is the mature width in metres and the second number below in (brackets) is in feet. Widths vary throughout the prairie region so these numbers are only a guideline.
- #4 The designated plant hardiness zone according to the 2000 version of the Canadian Plant Hardiness Zone map. The later versions of the Plant Hardiness Zones have designated many areas in the southern Canadian prairies in zone 4 but the trial data from the Western Nursery Growers Group tree trials do not support that increase in zone designation.
- #5 The mature tree form.
- #6 The colour of the leaves in the fall. Some retain the same colour throughout the growing season and so the fall colour change may be subtle.
- #7 The most common way the tree flowers are pollinated. Sometimes the flowers can be pollinated by both wind and insects, such as apples, but wind pollination in this case is not that significant so I did not include it.

- #8 Shows which trees are native to the Canadian Prairie Provinces. I have noted that some trees are native to Northwestern Ontario since they occur in zone 3 and are only a couple hours drive from Winnipeg. I have also noted a tree like Ponderosa pine is native to SW Alberta since it has such a small distribution in the Prairies.
- #9 Four flower categories: male; female; both male *and* female; and female *or* male. The last group refers to trees such as maple and aspen that sometimes change the sex of their flowers for one season. For example, a red maple cultivar may be consistently producing male flowers, but for one year out of ten it will produce female flowers. It will then revert back for another ten years producing male flowers. It is more complicated than that if you break it down to monoecious and dioecious; a sub-group of monecious plants have perfect flowers that contain both male and female parts.
- #10 Drought tolerance, with high being the most tolerant to drought.
- #11 Trees can be planted in a number of planting sites, and this column indicates which sites are best for each different tree.
- #12 Credits to the main breeder(s) or developer(s) of each tree. The commercial names of the trees that are in bold type are clonal cultivars (propagated by softwood, hardwood, grafting, or tissue culture). The regular type "nursery selection" means I could not find who the breeder was. The regular type "seedling" listed in the last column means that the tree is propagated by seed and not by clonal means such as grafting, softwood cuttings, hardwood cuttings, etc.

Match your Location and Determine your Hardiness Zone:

The zones are based on the 2000 version of the Plant Hardiness Zones map by Resources Canada. Some updates of zones have been made based on hardiness results collected in the Western Nursery Growers Group (WNGG) tree trials and the comments made by tree growers and the general public.

Determine which plant hardiness zone you are residing in by referring to the chart below. Find the community you live in or live close to and the plant hardiness zone number will be beside the community's name.


| Alberta | Zone |
|-------------------|-----------------------------|
| Airdrie | 3 |
| Banff | 3 2 3 3 2 3b |
| Beaumont | 3 |
| Blackfalds | 3 |
| Bonnyville | 2 |
| Brooks | |
| Calgary | 3 3 2 3 4 3 |
| Camrose | 3 |
| Canmore | 2 |
| Carstairs | 3 |
| Cardston | 4 |
| Chestermere | 3 |
| Clareshome | 4 |
| Coaldale | 4 |
| Cochrane | 2 |
| Cold Lake | 2b |
| Crossfield | 3 |
| Devon | 3 |
| Didsbury | 2 |
| Drayton Valley | 3 3 2 2 2 3 |
| Drumheller | 3 |
| Edmonton | 3b |
| Edson | 3 |
| Fort Macleod | 4 |
| Fort Saskatchewan | 3 4 3 3 3 |
| Grand Prairie | 3 |
| High River | |
| Hinton | 2b |
| Jasper | 2b |

| Alberta | Zone |
|------------------|-----------------------|
| Langdon | 3 |
| Lethbridge | 3 4 |
| Lloydminster | 3 |
| Medicine Hat | 3b |
| Morinville | 2b |
| Okotoks | 3 |
| Olds | 2b |
| Peace River | 2b |
| Pincher Creek | 3 3 3 4 |
| Penhold | 3 |
| Ponoka | 3 |
| Raymond | 4 |
| Redcliff | 3b |
| Red Deer | 3b |
| Rocky Mtn. House | 3 |
| Slave Lake | 2b |
| Spruce Grove | 3 |
| St. Albert | 3b |
| St. Paul | 2 |
| Stettler | 3 |
| Stony Plain | 2 3 3 3 3 |
| Strathmore | 3 |
| Sylvan Lake | |
| Taber | 3b |
| Vegreville | 3 |
| Vermilion | 2b |
| Wainwright | 2b |
| Wetaskiwin | 3 |
| Whitecourt | 2b |

| Saskatchewan | Zone |
|-----------------|---|
| Assiniboia | 3 |
| Balgonie | 3 3 |
| Battleford | 2b |
| Biggar | 2 |
| Birch Hills | 2 2 2 2 3 1 2 |
| Canora | 2 |
| Carlyle | 2 |
| Caronport | 3 |
| Creighton | 1 |
| Dalmeny | |
| Delisle | 2b |
| Esterhazy | 3 |
| Estevan | 3 |
| Foam Lake | 2 |
| Fort Qu'Appelle | 3 |
| Gravelbourg | 3 |
| Hudson Bay | 2 |
| Humboldt | 2 |
| Indian Head | 3 |
| Kamsack | 2 |
| Kindersley | 3 |
| Lanigan | 2 |
| La Loche | 2 |
| La Ronge | 2 |
| Lloydminster | 3 3 2 3 3 2 3 2 2 3 2 3 2 2 3 3 2 2 3 3 2 3 2 2 3 3 2 2 2 2 2 3 3 2 2 2 2 2 2 3 3 2 |
| Lumsden | 3 |
| Macklin | 2 |
| Maple Creek | 3 |
| Martensville | 2 |

| Saskatchewan | Zone |
|------------------|----------------------------|
| Meadow Lake | 2 |
| Melfort | 2 2 |
| Melville | 3 |
| Moose Jaw | 3 3 2 2 2 2 |
| Moosomin | 2 |
| North Battleford | 2 |
| Osler | 2 |
| Outlook | 2 |
| Pelican Narrows | 1b |
| Pilot Butte | 2b |
| Prince Albert | 2 |
| Regina | 3 |
| Regina Beach | 2b |
| Rosetown | 3 2 |
| Rosthern | |
| Saskatoon | 2b 3 2 3 2 |
| Shaunavon | 3 |
| Shellbrook | 2 |
| Swift Current | 3 |
| Tisdale | 2 |
| Unity | 2 |
| Wadena | 2b |
| Warman | 2 |
| Watrous | 3 |
| Weyburn | 2 3 3 3 2 2 |
| White City | 3 |
| Wilkie | 2 |
| Wynward | 2 |
| Yorkton | 3 |

| Manitoba | Zone | Manitoba | Zone |
|--------------------|------|----------------------|------|
| Altona | 3 | Powerview-Pine Falls | 2b |
| Arborg | 3 | Rivers | 2 |
| Beausejour | 3 | Roblin | 2 |
| Birtle | 2b | Russell | 3 |
| Boissevain | 3 | Selkirk | 3 |
| Brandon | 2b | Souris | 3 |
| Carberry | 3 | Steinbach | 3 |
| Carman | 3 | Ste. Anne | 3 |
| Churchill | 0 | Ste. Rose du Lac | 3 |
| Dauphin | 3 | Stonewall | 3 |
| Deloraine | 3 | Swan River | 2 |
| East Selkirk | 3 | Teulon | 2 |
| Emerson | 3 | The Pas | 2 |
| Ethelbert | 2b | Thompson | 1 |
| Flin Flon | 1b | Treherne | 3 |
| Gladstone | 3 | Virden | 2 |
| Grandview | 3 | Winkler | 3b |
| Grand Rapids | 2b | Winnipeg | 3b |
| Gretna | 3b | Winnipeg Beach | 2b |
| Hamiota | 3 | | |
| Lac du Bonnet | 3 | | |
| Leaf Rapids | 1 | Northwestern | Zone |
| Lynn Lake | 1 | Ontario | |
| MacGregor | 3 | Atikokan | 3 |
| Melita | 3 | Dryden | 2b |
| Minnedosa | 2b | Fort Francis | 3 |
| Morden | 3b | Kenora | 3 |
| Morris | 3 | Nipigon | 3 |
| Neepawa | 3 | Thunder Bay | 3 |
| Pilot Mound | 3 | | |
| Portage la Prairie | 3 | | |



Tree Credits: A listing of breeder/developer & location where the breeding and development work was done. Note (#) means total number of trees developed by breeder/developer in this list.

BCMRS: Dr. Bill Cumming, Morden Research Station, Morden, Manitoba (1)

BN: Bailey Nurseries, St. Paul, Minnesota (8)

BP: Dr. Bert Porter, Honeywood Nursery, Parkside, Saskatchewan (1)

BRC: Brooks Research Centre, Brooks, Alberta (1)

BRUofM: Dr. Bill Remphrey, University of Manitoba, Winnipeg, Manitoba (1)

BSN: Bron and Sons Nurseries, Grand Forks, B.C. (1)

CAVK: Connon AVK Nurseries, Cambridge, Ontario (1)

CCPD: City of Calgary, Parks Department, Calgary, Alberta (1)

CDMRS: Dr. Campbell Davidson, Morden Research Station, Morden, Manitoba (1)

CN: Cannor Nurseries, Chilliwack, BC (1)

CNF: Cochet Nursery, France (1)

CP: Carlton Plants (now Bailey Nurseries), Dayton, Oregon (1)

DB: Dwayne Beck, Parkland Nursery, Red Deer, Alberta (1)

DH: Dennis Heins, Heins Nursery, Woodbury, Minnesota (1)

DHNDSU: Dr. Dale Herman, North Dakota State University, Fargo, ND (11)

DK: Dave Klassen, Shannon Oaks Tree Farm, Morden, Manitoba (1)

DKU: David Kuperus, Coaldale Nurseries, Coaldale, Alberta (2)

DLSRC: Dr. David Lane, Summerland Research Centre, Summerland, B.C. (1)

DP: Dick Patmore, Patmore Nursery, Brandon, Manitoba (4)

EC: Earl Cully, Jacksonville, Illinois (1)

EGN: Evergreen Nursery, Sturgeon Bay, Wisconsin (1)

FCWN: Fort Collins Wholesale Nursery, Fort Collins, Colorado (1)

FE: Fred Elsaesser, Advance Nursery, Grand Forks, B.C. (2)

FS: Dr. Frank Skinner, Skinners Nursery, Roblin (Dropmore), Manitoba (2)

GM: Garfield Marshall, Advance Nursery, Grand Forks, B.C. (5)

GMND: Greg Morganson, Bismarck, North Dakota (1)

GJ: Glenn Jeffers, Jeffers Nursery, Grand Rapids, Ohio (1)

HH: Henry Heuver, Foothills Nursery, Calgary, Alberta (1)

HNG: Hoops Nursery, Germany (1)

HPUofMN: Dr. Harold Pellett, University of Minnesota, Chaska, MN (1)

HS: Hugh Skinner, Skinners Nursery, Roblin, Manitoba (1)

ISN: Iseli Nursery, Boring, Oregon (1)

IPAC: Isabelle Preston, Agriculture Canada, Ottawa, Ontario (1)

JC: Joe Cesarini, Ridgely, Maryland

JCB: JC Bakker and Sons Nursery, St. Catharines, Ontario (1)

JV: John Vriend, Arrowhead Nursery, Edmonton, Alberta (1)

JW: John Wallace, Beaverlodge Nursery, Beaverlodge, Alberta (1)

KMCV: Kevin Merrifield, Clifty View Nursery, Bonners Ferry, Idaho (1)

KW: Ken Wright, Wright Nursery, Caroline, Alberta (1)

KWJFS: Keith Warren, J. Frank Schmidt & Son Nursery, Boring, Oregon (1)

LA: Lawrence Aubin, Aubin Nurseries, Carman, Manitoba (1)

LK: Les Kerr, Sutherland, Saskatchewan (4)

LKMRS: Les Kerr, Morden Research Station, Morden, Manitoba (1)

LKSFNS: Les Kerr, Sutherland Forest Nursery Station, Sutherland, Saskatchewan (3)

LTF: Lakeshore Tree Farm, Saskatoon, Saskatchewan (1)

MA: Morton Arboretum, Chicago, Illinois (1)

MCKN: McKay Nursery, Oshkosh, Wisconsin (1)

MRS: Morden Research Station, Morden, Manitoba (5)

OWN: Oscar Will Nursery, Bismarck, North Dakota (1)

PFN: Plum Field Nurseries, Fremont, Nebraska (1)

PFRA: Agriculture and Agri-Food Canada, Indian Head, Saskatchewan (6)

PN: Princeton Nurseries, Kingston, New Jersey (1)

PR: Dr. Philip Ronald, Riverbend Orchards, Portage la Prairie, Manitoba (3)

PW: Percy Wright, Moose Range Nursery, Moose Range, Saskatchewan (1)

RB: Ron Boughen, Boughen Nursery, Valley River, Manitoba (1)

RDBY: Rick Durand, Bylands Nurseries, West Kelowna, BC (10)

RDGM: Rick Durand and Garfield Marshall, Portage la Prairie, MB and Grand Forks, BC (1)

RDJM: Rick Durand & Joe Moniz, Portage la Prairie, Manitoba and St. Albert, Alberta (1)

RDPS: Rick Durand, Prairie Shade Nursery, Portage la Prairie, Manitoba (18)

RDWR: Rick Durand & Dr. Wilbert Ronald, Jeffries Nurseries, Portage la Prairie, MB (6)

REFAC: Rosthern Experimental Farm Agriculture Canada, Rosthern, Saskatchewan (1)

RKBN: Rock Kelly, Bachman's Nursery, Farmington, Minnesota (1)

SDSU: South Dakota State University, Brookings, South Dakota (2)

SN: Sheridan Nurseries, Georgetown, Ontario (2)

SUNHV: Harold Voogd, Sunstar Nurseries, Edmonton, Alberta (1)

SUNJA: Jordan and Andrew Voogd, Sunstar Nurseries, Edmonton, Alberta (3)

TP: Theon Phey, Edmonton, Alberta (1)

TWNDSU: Dr. Dale Herman, North Dakota State University, Fargo, North Dakota (1)

UMICH: University of Michigan, Ann Arbor, Michigan (1)

UMNA: University of Minnesota Arboretum, Chaska, MN (4)

UOFSBB: Dr. Bob Bors, University of Saskatchewan, Saskatoon, Saskatchewan (1)

WC: Warren Carnefix, Fruitland Nursery, Fruitland, Idaho (1)

WRJN: Dr. Wilbert Ronald, Jeffries Nurseries, Portage la Prairie, Manitoba (8)

WRCD: Dr. Wilbert Ronald & Dr. Campbell Davidson, Morden Research Station, Morden, MB (2)

WRMRS: Dr. Wilbert Ronald Morden Research Station, Morden, Manitoba (5)

WRRD: Dr. Wilbert Ronald and Rick Durand, Jeffries Nurseries, Portage la Prairie, Manitoba (4)

Tree Crown Shapes

| Columnar | Conical | Oval Narrow | Oval Wide | Pyramidal |
|----------|---------------|-------------------|-------------|-----------|
| | | | | |
| Rounded | Rounded Loose | Upright Spreading | Upright Fan | Weeping |